

ONE HOSE SYSTEM

Nano-Jet Basic

The starter

- small and compact
- easy to use
- low pellet and compressed air consumption

Standard equipment:

- basic and functional equipment
- compressed air treatment
- GAP 3 S blast gun with RD 5 nozzle
- blast hose package 5 meter with PVC sleeve



Nano-Jet Basic Nano-Jet Basic

Technical specification:

| | |
|------------------------------|---|
| Net weight: | 30 kg (66 lbs), stainless steel housing 35 kg (77 lbs) with pellet regulation and blast pressure regulation (OPTIONALLY) |
| Dimensions: | (W x L x H) 340 x 430 x 655 mm (13 x 17 x 26 inch) |
| Dry ice filling capacity: | 10 kg (22 lbs) |
| Dry ice consumption: | max. 75 kg/h (165 lbs) |
| Operating pressure: | max. 10 bar (145 psi) |
| Blasting pressure: | max. 10 bar (145 psi) |
| Compressed air consumption: | 2,5 m ³ /min - 6,5 m ³ /min, depending on the selected nozzle combination |
| Compressed air requirements: | clean, oil-free, free of foreign bodies and dry (pressure dew point below 10°C) |
| Compressed air connection: | DIN 3489 claw coupling |
| Power connection: | not necessary, system works purely pneumatically |
| Noise: | 60 dB (A) - 120 dB (A), depending on nozzle combination and surface of the object being blasted |
| Article number: | 260 000 |
| OPTIONALLY | |
| Article number: | PELLETREG - with pellet regulation |
| Article number: | STRAHLDRUCKNANO - with blast pressure regulation |